

INDUSTRIAL CATERING and LAUNDRY EQUIPMENT











PRODUCT CATALOGUE

ABOUT US

Ascot has been delivering integrated "**Site Solutions**" to customers across the African continent for four decades.

Initially a specialist supplier of hostel products within mass accommodation environments, our company later grew its influence into prisons, hospitals, defence force, industrial catering and remote site accommodation all over Africa.

As our reputation as a reliable supplier grew within our chosen markets we increased our product range and we are now able to offer a comprehensive range of products to customers.

We pride ourselves on understanding the needs of our customer, and responding effectively to those needs.

Through a combination of years of 'hands on' expertise, a wide range of competitively priced products, logistical support and a suitably qualified team of technicians, we are able to offer a superior, high quality service with standard setting efficiency that is unmatched within the market.

Our Green Initiative

Our future energy supply is not expected to be sufficient to match the anticipated demand and there is increased pressure on costs, we must all focus on green initiatives. We at Ascot are committed to energy saving as a key component of supplying the correct "Site Solutions" and to jointly explore energy saving initiatives with our customers as we all become increasingly environmentally aware.



APART FROM OUR INTENSIVE PRODUCT RANGE, WE CAN ALSO OFFER YOU A FULL SERVICE ON THE FOLLOWING:

- Full assistance with all your drawing requirements in Autocad for your convenience on Industrial kitchen lay-outs, dining rooms, etc.
- Site visits to anyone of your local and even remote sites to assist with the most economical planning of your requirements.
- Planning of site requirements on existing plants and newly developed areas.
- Expert on site advise and full back-up including drawings , technical support, planning and fully specified quotes and drawings.



TABLE OF CONTENTS

















SCULLERY







UNDERCOUNTER DISHWASHER

Benefits and Features.

Construction

Full double-skin construction with partial double-skin construction for the sides of the wash chamber. Full double-skin construction for the door. The tank has press-moulded bottom and is equipped with a full-width integral surface filter, which, thanks to its large intake size, is virtually unblockable. The wash chamber is free of internal pipes and sharp corners.


User interface

Comprised of four sturdy function keys and a LED display which shows the wash and rinse temperatures.

The tank and boiler temperatures can be adjusted, as can the peristaltic dosing units for rinse aid and detergent (if present).







Maximum height		
\Pi	cm	50x50
4	CHB	32,5
	cm	36,5
	cm	

Technical Data	
Dimensions	575x600x820mm
Weight	62Kg
Packing Dimensions	690x670x980mm
Power	6.8Kw / 16 Amp / 400V
Cycle Time	90 – 150 /Sec
Rack Size	500x500mm
Max Rack Capacity	32 racks/hr
Tank Capacity	20Lt







HOODTYPE DISHWASHER

Benefits and Features


Construction

Full double-skin construction with thermally-acoustically insulated hood. The hood lifts smoothly and easily with no tight spots, thereby reducing operator fatigue. The hood opening of 46,5 cm is among the highest of products in this market segment. The tank is entirely pressmoulded and equipped with a full-width integral surface filter, which, thanks to its large intake size, is virtually unblock able. The wash chamber is free of internal pipes and sharp corners. The rack support is hinged to the back panel to facilitate cleaning.

User interface

Easy to use, reliable and complete, with four soft touch keys and a large backlit polychromatic LCD display. Unlike other dishwashers on the market, it is not just a button; the entire screen changes colour according to the operating status of the machine and the current stage of the wash cycle; this feature, combined with its position above the hood, makes the screen easy to read and interpret even from a distance. In addition to the operating parameters, such as the temperature of the tank and boiler or the number of cycles completed, the indications provided by the automatic diagnosis system are also displayed.

Information is provided in the form of clear text and icons. It is possible to adjust the tank and boiler temperatures, the dosing of detergent and rinse aid, while our specialised technicians can modify all the operating parameters of the machine.



2080

Maximum height		
	m	50x50
T	001	45
	cm	45
100	00	GN1/1 (53x32)

Technical Data	
Dimensions	633x755x1565mm
Weight	124Kg
Packing Dimensions	770x870x1530mm
Power	10.2Kw / 16 Amp / 400V
Cycle Time	60 - 90 - 120 /Sec
Rack Size	500x500mm
Max Rack Capacity	65 racks/hr
Tank Capacity	22Lt





RACK - TYPE DISHWASHER

Benefits
High production and excellent results
Flexibility of use
User friendly
Reduced operating costs
Easy cleaning and ergonomics


Details







	Wash Temperat. °C	Rinse Temperat. °C	Capacity Racks/hr	Rinse Consumpt. Lt/hr	Rinse Consumpt. Lt/rack	Total Power Hot feed kW	Total Power H.F + H.R.	TOTAL POWER COLD FEED KW
IsyTech 31-	10.1							
High Capacity	60	82	120	160	1,3	22,0	24,7	28,5
Prolonged Contact *	60	82	60	160	2,7	22,0	24,7	28,5
IsyTech 31-	lsyTech 31-10.2							
High Capacity	60	82	200	270	1,4	29,5	34,2	41,0
Prolonged Contact *	60	82	110	270	2,5	29,5	34,2	41,0


Technical Data	
Dimensions - IsyTech 31-10.1	1280x920x1800mm
Dimensions - IsyTech 31-10.2	2100x920x1850mm
Gross Weight - IsyTech 31-10.1	240kg
Gross Weight - IsyTech 31-10.2	300kg
Voltage	400V - 50 Hz - 3 Ph
Cycle Time	60 - 90 - 120 / Sec
Rack Size	500x500mm
Tank Capacity	22Lt

















INLET TABLES

OUTLET TABLES

* SPECIAL OUTLET TABLES

c/w cantilevered shelf & set of runners for 3 baskets

DUMP TABLES

1,2mm 304 top - 1,6mm backing epoxied, 42mm dia s/s legs with die cast alum adj. feet Table Sizes mm (Inlet or Outlet Table) 600 / 1200 / 1500 / 1700 / 2000 / 2200 x 620mm wide 600 / 1200 / 1500 / 1700 / 2000 / 2200 x up to 1050mm wide 600 / 1200 / 1500 / 1700 / 2000 / 2200 x up to 1050mm wide Single/Double Prewash,Raised Splashguard with tapholes, Scrapehole, Rubber Bung, Pre-Rinse Spray, Mixer Taps, Undershelves (Plain or Slatted, Galvanized or S/Steel)



ROLLER INLET/OUTLET Includes: 90°Bend or Straight

PLATE RACKS



600PC CROCKERY RACK



400PC CROCKERY RACK



3 TIER WALL MOUNTED CROCKERY DRYING RACK



2 TIER WALL MOUNTED CROCKERY DRYING RACK

POT RACKS



POT RACK 4 TIER GALVANIZED

1200x600x1430mm High S/Steel Frame with Galv Slats (Shown as Mobile Option)



POT RACK 4 TIER S/STEEL

1200x600x1430mm High S/Steel Made entirely from Stainless Steel

WHY USE US?

Reliable

Our reliability speaks for itself through the clients we have built up and the partnerships we have formed.

Experience

Our company has 40+ years extensive experience in sales and customer service in the Laundry and Catering Industry.

Product Range

Due to or focus on remote sites we understand the need for as few points of contact for your camp equipment and our extensive product range allows you to deal with us for all your requirements.

Exceptional Technical Backup

Our expert technical team is able to fully support (maintenance and spares) and install all products supplied by Ascot.

Passionate

We are passionate about remote sites in Africa and finding a solution that works for our clients.

Maximize your budget

Our aim is to ensure you get the results required within your budget, and through relationships and communication achieve the goals with our clients. We believe in combining both quality and affordability in our products. There's no reason to pay exorbitant prices when our solutions do more for less.

